



Opel Grandland X (Segm. BU): 1YQT738

Vinnumber:	W0VZCYHZ8L6052936	Versionname:	Grandland X Innovation 1.5 Turbo EcoTec D S/S
First Registrationdate:	9/11/2020	Fiscalpower:	130pk/cv 5p
Expertise Mileage:	156102	Power Kw:	96
Bodytype:		Type of rims (mounted)	Aluminium
Gearbox:	MAN 6 VIT		
Transmission:			
Fueltype:			
Maintenance	OK		
Battery functioning	Yes		
Type of rims (mounted)	Aluminium		
Certificate of Conformity	Yes		
Category	Passenger Car		
Registration Certificate Car (BE)	Yes		

Options

Number of keys total	2	Luggage cover	
GPS		Type of Tow bar	No Tow bar
Type of Maintenance book	Maintenancebook present		
Type of GPS storage	HD		

Tyres

	225/55/18/98 V			
Summer tyres:	Fr.L.	Firestone: 3 mm	Fr.R.	Firestone: 3 mm
	Re.L.	Firestone: 4 mm	Re.R.	Firestone: 3 mm
Tyre profile depth FL				3.0
Tyre profile depth FR				3.0
Tyre profile depth RL				4.0
Tyre profile depth RR				3.0
Tyre size FL				225/55 R 18 98 V
Tyre size FR				225/55 R 18 98 V
Tyre size RL				225/55 R 18 98 V
Tyre size RR				225/55 R 18 98 V
Tyre type FL				Summer
Tyre type FR				Summer
Tyre type RL				Summer
Tyre type RR				Summer
Tyre make FL				258
Tyre make FR				258
Tyre make RL				258
Tyre make RR				258

Assistance equipment

Repair kit	Yes	Compressor	Yes
Number of charging cables (normal)	0		
Number of charging cables (rapid charge)	0		

Door panel RR, Scratch(es), Acceptable



Floor covering FL, Worn, Acceptable



Bonnet, Stone chip(s), Acceptable



Bumper spoiler F, Dent(s), Acceptable



Bumper F, Stone chip(s), Acceptable



Door FL, Scratch(es), Acceptable



Door trim FL, Scratch(es), Acceptable



Door RL, Scratch(es), Acceptable



Wing RL, Dent(s) and scratch(es), Acceptable



Alloy rim RL, Scratch(es), Acceptable



Boot lid covering R, Scratch(es), Acceptable



Bumper trim R, Scratch(es), Acceptable



Bumper R, Scratch(es), Acceptable



Wheel aperture RR, Scratch(es), Acceptable



Door RR, Dent(s) and scratch(es), Acceptable



Step R, Scratch(es), Acceptable



Step R, Dent(s), Acceptable



Alloy rim FR, Scratch(es), Acceptable

