

# **Expertise**

Protocol number: 41636047 Order No. / Reference: 25101293-1 Inspection date: 24 Aug 2025

Manufacturer: Volkswagen Model: Crafter 35 TDI VA

VIN: WV1ZZZSYZM9030617





Vehicle details			
Manufacturer / Type / Model / Equipment			
Volkswagen Crafter 35 TDI VA			
Vehicle Identification number	WV1ZZZSYZM9030617		
Mileage (Read)	193,695 km		
First registration 12 Apr 2021			
Number of holders	1		
Power / Engine displacement	103 kw / 1,968 ccm		
Fuel type / Cylinder	Diesel / 4		
Gearbox / Number of gears	Manual / 6		
Type of drive	Front drive		
Type of vehicle	Van		
Colour / colour code	Candyweiß		
Doors / Seats	4/2		
Upholstery type	Cloth		
Colour of upholstery	Black-Anthracite		



Veh	icle details				
Main	tenance booklet / proof	digital proof / complete	Next maintenance in	6,600 km	
Last	maintenance on / at	08/2025 at 170,519 km			
Key	is / should be	2/2	FZG documents	ZB#2 (B) was ava	ailable (copy), ZB#1 (S
				was not available	
			Letter No.	GB811967	
Prev	ious damage / Accident	Detectable	Repainting	None detectable	
Insp	ection conditions	sufficient	Lifting equipment / pit	yes	
Test	drive	Not performed	Engine function test	Performed	
Manı	ufacturer key number/	0603 / 000 000			
type	code number				
Perm	nitted total weight	3,500 kg	Empty weight		
Tyre	es				
Mou	inted tyres				
#	Tyre size	Type of tyre	Manufacture	r	Tread depth
1)	205/75 R16 113R	Winter tyres on Steel	Continental		9mm / 9mm
2)	205/75 R16 113R	Winter tyres on Steel	Continental		9mm / 9mm
Add	itional tyres				
#	Tyre size	Type of tyre	Manufacture	r	Tread depth
1)	205/75 R16 113R	All-season tyres on Steel	Continental		2mm / 3mm
2)	205/75 R16 113R	All-season tyres on Steel	Continental		3mm / 4mm
Rep	lacement				
Тур	Tyre size	Type of tyre	Manufacture	r	Tread depth
Е	205/75 R16 113R C	All-season tyres on Steel	Continental		8 mm

Legend: Tread depth information for tires on the left is in the first place, for tires on the right is in the second place on the axle in the direction of travel



### **Equipment**

#### Standard equipment

- · Airbag: Driver's side
- · Exterior mirrors, adjustable from the outside
- Hill Start Assist
- · Brake light, third
- · Electronic Stabilization Program and ABS
- · Electric windows, front
- · Transmission: 6-speed transmission
- · Rear wing door without window cutout
- · High roof, exterior painted in body color
- · Headrests (2)
- · Steering wheel adjustable in height and reach
- · Multifunction display "Plus"
- · Upholstery: Seat covers in fabric, design "Austin"
- Wheels/Tires: 205/75 R 16 C 113/111, rolling resistance optimized
- · Key for locking system: 2 radio folding keys
- · Electromechanical power steering
- · Seats 1st row: Right seat
- Power socket: 12 V socket and 4 cup holders in the dashboard
- · Partition walls: Partition wall
- · Lashing eyes for securing loads
- · Thermal insulation glazing
- · Accessories: Onboard tool kit
- Registration as a truck

# Extra equipment

- Storage package 2: Roof gallery with two 1-DIN slots and reading light
- · Trailer hitch, rigid (including trailer stabilization)
- Installation Sortimo
- Driver assistance systems: "Front Assist" environment monitoring system with City Emergency Braking function
- Floor mats: All-weather mats in the driver's cab (made of rubber)
- Heating: second heat exchanger (under the right seat box)
- · Air conditioning in the driver's cab with electric control
- Marker lights, side
- · Fog lights including cornering lights
- "Discover Media" radio navigation system including streaming and internet with 4 speakers (voice control 2 USB ports (Type C) in the dashboard glove compartment with lockable lid, illuminated "Discover Media" radio navigation system with 20.3 cm (8-inch) touch display including streaming and internet 4 speakers: 2 tweeters, 2 woofers wired and wireless app connect mobile phone interface)
- Seats 1st row: Suspension seat "ergoComfort" left, in the 1st row
- Auxiliary heaters/auxiliary heaters: Auxiliary water heater with programmable auxiliary heating function (with radio remote control)

- Exterior mirrors (left and right) convex, with integrated LED indicator and wide-angle range
- · Floor coverings: Rubber floor covering in the driver's cab
- · Three-point automatic seat belts
- · Chassis: Suspension and damping, standard
- Total weight: Vehicle registration with a permissible total weight of 3.5
- · Rear doors/tailgate: Hinges for rear doors
- · Instrument use (km/h)
- · Paint finish: Uni
- · Headlight range adjustment
- · Particle filter: Soot particle filter for diesel
- · Wheel cover center
- · Wheels: Steel wheels 6.5 J x 16, in silver
- · Sliding door, right in the passenger/cargo area
- · Crosswind Assist
- · Seat belt check
- · Start-stop system
- Sockets: 2 12 V sockets in the cab (in the control panel)
- · Daytime running light
- · First aid kit, warning triangle and safety vest
- · Electronic immobilizer
- · Central locking with radio remote control and interior operation
- Airbag for driver and front passenger (with passenger airbag deactivation)
- · Exterior mirrors electrically adjustable and heated
- Omission: Lettering on the rear (without lettering for type designation)
- · Suspension/damping, reinforced and stabilization, reinforced
- · Cruise control including speed limiter
- Instrument panel: Control panel with additional console (including 1 DIN slot and 4 additional switch positions)
- Fatigue detection
- · ParkPilot in the front and rear areas
- · Radio accessories: Digital radio reception DAB+
- · Wheels, tires: All-season tires
- Wheels, tires: Spare wheel (steel rim) with driving tires as well as onboard tools and jack
- · Rear view camera
- Hinges for rear doors with increased opening angle (270 °)
- · Mud flaps, front and rear
- · Seats 1st row: Comfort seat right, in the 1st row
- Auxiliary heaters/auxiliary heaters: Electric auxiliary air heater (1,400 W)



- Tachograph: Preparation Digital Tachograph (Smart TCO) (for retrofitting a tachograph from VDO or Intellic)
- First aid kit, warning triangle, safety vest and warning light

Brief expert findings	
Documents submitted	At the time of the inspection, the registration certificate Part 2 (letter) was available, but the registration certificate
	Part 1 (certificate) was not. (Copy)
VIN comparison	The vehicle identification number (VIN) was read from the vehicle and its conformity with the submitted
	documents was verified during the inspection by the undersigned.
Inspection	The inspection conditions were sufficient for the assessment of the vehicle.
	Lifting equipment and a pit were available for examining the vehicle.
Test drive	No test drive/maneuvering was carried out during the inspection of the vehicle.
Engine function test	An engine test run was performed.

# Value reducing factors

No.	Component group	Description
1	Misc.	Main inspection - No evidence - No deduction
2	Interior	Installations (Einbau Sortimo) - Differs from the original configuration - No deduction
3	Mudguard - left side	Mudguard - left side - dent(s) - Smooth repair work
4	Side panel - rear left side	Side panel - dent(s) - Smooth repair work
5	Door - front right side	Door - Deformed - Smart repair
6	Body	Body - Glued / labelled - De-glue / neutralise
7	2nd wheel set	3 tyres (Profil kleiner 4mm) - Replace
8	Seat - front	Seat cover - left side - Broken / torn - Replace

# **Missing parts**

#### Description

Heating system - Remote control auxiliary heating

# **Previous damages**

No. Previous damage

Extent of damage (Net)

Side - left, Side right, Provided by user / customer, from 24 Jan 2025

# 3.779,50 €

#### Order/Scope of order

The order was placed to prepare a sales report for the vehicle described. This includes the following:

- Description of core relevant information about the vehicle
- · Documentation of equipment features
  - (Delivery by third-party service providers)
- · Documentation of damage, defects, missing parts
- Documentation of previous damage, unrepaired previous damage, repainting
- a brief visual or functional inspection of the equipment details if possible.
  - (Functional tests of driver assistance systems are not included in the scope of services!)
- a photo documentation of the vehicle



#### Basis for the order

This product is based on the guidelines for vehicle returns and valuations of light commercial vehicles from Alphabet Fuhrparkmanagement GmbH. The expert makes the explicit findings in each individual case objectively within the framework of the specified standards based on his or her own expertise.

The vehicle inspection takes place in a disassembled state.

Damage or defects that can only be detected during disassembly/diagnosis work or through advanced knowledge remain within the scope of the prognosis risk. An extended risk exists for concealed defects caused by fraudulent deception and not identifiable by the expert.

Damage or defects resulting from normal use or wear and tear of the vehicle will be accepted according to the applicable standard.

There was no explicit identification or monetary consideration of the expected features within the product.

Features which in their nature and severity slightly exceed normal use but do not constitute unacceptable damage will be documented and identified under signs of use if necessary.

Damage or defects which, according to the underlying standard, can no longer be attributed to normal use or wear and tear are listed in the product under "Depreciating Factors".

Depending on the product specification, a monetary ID can be provided. If this takes place, the costs can be 100% d or pro rata depending on the vehicle's age and mileage.

#### **Previous damages**

According to available information previous damages were repaired at the vehicle. Traces of repairs, which allow conclusions about the area of repair, were not recognizable during the inspection.





Figure 1: Diagonal front (left)



Figure 2: Diagonal front (right)



Figure 3: Diagonal rear (left)



Figure 4: Diagonal rear (right)



Figure 5: Interior - front



Figure 6: Interior - rear





Figure 7: Instrument cluster



Figure 8: Instrument panel



Figure 9: Interior 360° view (Online link)



Figure 10: Cargo area



Figure 11: VIN



Figure 12: Mounted tyres





Figure 13: Documents



Figure 14: Additional tyres



Figure 15: Navigation



Figure 16: Misc.



Figure 17: Misc.



Figure 18: Misc.





Figure 19: Misc.



Figure 20: Misc.



Figure 21: Misc.



Figure 22: Misc.



Figure 23: Misc.



Figure 24: Misc.





Figure 25: Misc.



Figure 26: Misc.



Figure 27: Misc.




Figure 28: Misc.



Figure 29: Misc.



Figure 30: Misc.





Figure 31: Misc.



Figure 32: Misc.



Figure 33: Misc.



Figure 34: Misc.




Figure 35: Misc.



Figure 36: Misc.





Figure 37: Misc.



**Damage 3:** Mudguard - left side: Mudguard - left side - dent(s) - Smooth repair work



**Damage 3:** Mudguard - left side: Mudguard - left side - dent(s) - Smooth repair work



 $\label{eq:Damage 4: Side panel - rear left side: Side panel - dent(s) - Smooth \\ repair work$ 



 $\label{eq:Damage 4: Side panel - rear left side: Side panel - dent(s) - Smooth \\ repair work$ 



**Damage 4:** Side panel - rear left side: Side panel - dent(s) - Smooth repair work





**Damage 4:** Side panel - rear left side: Side panel - dent(s) - Smooth repair work





 $\label{eq:Damage 4: Side panel - Parameter Side panel - Damage 4: Side panel - Damage 4:$ 



Damage 5: Door - front right side: Door - Deformed - Smart repair



Damage 5: Door - front right side: Door - Deformed - Smart repair



Damage 5: Door - front right side: Door - Deformed - Smart repair





Damage 6: Body: Body - Glued / labelled - De-glue / neutralise



Damage 6: Body: Body - Glued / labelled - De-glue / neutralise



Damage 6: Body: Body - Glued / labelled - De-glue / neutralise



Damage 6: Body: Body - Glued / labelled - De-glue / neutralise



Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace



Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace





Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace



Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace



Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace



Damage 7: 2nd wheel set: 3 tyres (Profil kleiner 4mm) - Replace



Damage 8: Seat - front: Seat cover - left side - Broken / torn - Replace



Damage 8: Seat - front: Seat cover - left side - Broken / torn - Replace